

Product Information

VENTO 51



CANTON

Enclosures and Technology

With Attention to Detail

Modern Design

Enclosure with a tapered front and flowing curves, for uniform sound dispersion



ATB Membranes

ATB diaphragms (Aluminium Titanium Black) in the low- and mid-frequency range

Wave Surround Technology

Extremely long strokes with precise acceleration and deceleration characteristics

BC Tweeter

Square-shaped transmission front plate with Black ceramic tweeter system (BC)



Multi-layer cabinets

Curved MDF multi-layer enclosures with a separate midrange chamber to reduce natural resonance

Flexible alignment

Newly developed base design that allows the center speaker's tilt angle to be smoothly adjusted to the listening position

Gold-plated terminals

Gold-plated bi-wiring/ bi-amping terminals for optimal signal transmission

Flexible Alignment

Thanks to its innovative base, the Vento 51 Center can be smoothly adjusted for tilt, allowing it to be optimally aligned with the listening position. This ensures that the soundstage remains precise and stable even when the speaker is positioned in different locations – voices remain clearly intelligible and are accurately centered.

This results in clear sound reproduction throughout the entire listening area.

Variants

Classic elegance

Derived from the Italian word for "wind" the new Vento models combine elegance with powerful sound performance. The flowing curves and the distinctive square shape of the tweeter define their unmistakable design. With an exclusive range of elegant color options and high-quality finishes, the new Vento speakers make a statement in your living space – not only with their sound but also with their appearance.



White Satin

Black, magnetic fabric cover



Black High Gloss

Black, magnetic fabric cover



TECHNICAL DATA

Principle	3-way, bass reflex system Backfire
Driver Sizes	
Tweeter	1 × 25 mm, BC Membrane (Black Ceramic)
Midrange	1 × 174 mm, ATB Membran (Aluminium Titanium Black)
Woofer	1 × 174 mm, ATB Membrane (Aluminium Titanium Black)
Transmission range	26...40.000 Hz
Transition frequency	210 / 3.000 Hz
Nominal / music load capacity	120 / 200 Watt
Impedance	4-8 Ohm
Efficiency	86 dB
Dimensions (W×H×D)	60 × 24 × 39 cm
Variants	White Satin
	Black High Gloss